

H₂S
CO
O₂
SO₂
LEL

GasAlertMicro



Versatile multi-gas

Combining both performance and affordability, the GasAlertMicro has a comprehensive range of features and flexible power options. Suited to a wide range of applications, the GasAlertMicro offers a simple, automatic calibration procedure and is compatible with BW's MicroDock II automatic test and calibration system.



General Specifications

Size	2.4 x 4.0 x 1.3 in. / 6.0 x 10.0 x 3.3 cm
Weight	7.4 oz. / 211 g
Typical battery life	AA alkaline: 16 - 18 hrs GA MicroBatt: 16 - 18 hrs Rechargeable: 14 - 16 hrs
Certifications and approvals	<p>Class I, Div. 1, Gr. A, B, C, D American Bureau of Shipping ATEX: CE II 1 G Ex ia IIC T4* IECEX: Ex ia IIC T4* INMETRO: BR-Ex ia IIC T4* BAM: Certified by BAM to the O₂, H₂S, CO and combustible performance standards CE: European Conformity</p> <p><small>*Temperature codes may vary as a function of the batteries installed. Please see owner's manual for a complete listing of compatible batteries and codes.</small></p>
Warranty	Full 2 year warranty including all sensors

Standard Package Contents

- Detector complete with specified sensor(s), stainless steel alligator clip and concussion-proof housing
- 2 AA alkaline batteries
- Calibration/test cap and hose
- Manual
- Multi-language manual CD

This product available from:

Optimum Energy Products Ltd.

Online: www.CanarySense.com

Toll Free: 1-877-766-5412

BW
Technologies
by Honeywell

GasAlertMicro 4-Gas Detector	Order Number		Price (CAD)
	Yellow	Black	
%LEL, O ₂ , H ₂ S, CO - 2 AA alkaline batteries	GAMIC-4	GAMIC-4B	\$995.00
%LEL, O ₂ , H ₂ S, CO - 2 AA alkaline batteries and datalogging	GAMIC-4-DL2-IR	GAMIC-4B-DL2-IR	\$1,145.00

GasAlertMicro 3-Gas Detector	Order Number		Price (CAD)
	Yellow	Black	
%LEL, O ₂ , H ₂ S - 2 AA alkaline batteries	GAMIC-3H	GAMIC-3HB	\$895.00
%LEL, O ₂ , H ₂ S - 2 AA alkaline batteries and datalogging	GAMIC-3H-DL2-IR	GAMIC-3HB-DL2-IR	\$1,045.00
%LEL, O ₂ , CO - 2 AA alkaline batteries	GAMIC-3M	GAMIC-3MB	\$895.00
%LEL, O ₂ , CO - 2 AA alkaline batteries and datalogging	GAMIC-3M-DL2-IR	GAMIC-3MB-DL2-IR	\$1,045.00
%LEL, O ₂ , SO ₂ - 2 AA alkaline batteries	GAMIC-3S	GAMIC-3SB	\$995.00
%LEL, O ₂ , SO ₂ - 2 AA alkaline batteries and datalogging	GAMIC-3S-DL2-IR	GAMIC-3SB-DL2-IR	\$1,145.00
O ₂ , H ₂ S, CO - 2 AA alkaline batteries	GAMIC-3X	GAMIC-3XB	\$920.00
O ₂ , H ₂ S, CO - 2 AA alkaline batteries and datalogging	GAMIC-3X-DL2-IR	GAMIC-3XB-DL2-IR	\$1,070.00

GasAlertMicro 2-Gas Detector	Order Number		Price (CAD)
	Yellow	Black	
%LEL, O ₂ - 2 AA alkaline batteries	GAMIC-2	GAMIC-2B	\$795.00
%LEL, O ₂ - 2 AA alkaline batteries and datalogging	GAMIC-2-DL2-IR	GAMIC-2B-DL2-IR	\$945.00
H ₂ S, CO - 2 AA alkaline batteries	GAMIC-2HM	GAMIC-2HMB	\$895.00
H ₂ S, CO - 2 AA alkaline batteries and datalogging	GAMIC-2HM-DL2-IR	GAMIC-2HMB-DL2-IR	\$1,045.00

GasAlertMicro 1-Gas Detector	Order Number		Price (CAD)
	Yellow	Black	
%LEL - 2 AA alkaline batteries	GAMIC-W	GAMIC-WB	\$745.00
%LEL - 2 AA alkaline batteries and datalogging	GAMIC-W-DL2-IR	GAMIC-WB-DL2-IR	\$895.00
CO - 2 AA alkaline batteries	GAMIC-M	GAMIC-MB	\$745.00
CO - 2 AA alkaline batteries and datalogging	GAMIC-M-DL2-IR	GAMIC-MB-DL2-IR	\$895.00
H ₂ S - 2 AA alkaline batteries	GAMIC-H	GAMIC-HB	\$745.00
H ₂ S - 2 AA alkaline batteries and datalogging	GAMIC-H-DL2-IR	GAMIC-HB-DL2-IR	\$895.00
O ₂ - 2 AA alkaline batteries	GAMIC-X	GAMIC-XB	\$690.00
O ₂ - 2 AA alkaline batteries and datalogging	GAMIC-X-DL2-IR	GAMIC-XB-DL2-IR	\$840.00

GasAlertMicro Region Codes

For orders outside North America, add suffix to order number:

"-EU"	Europe	"-BR"	Brazil
"-UK"	United Kingdom	"-OR"	Other region with 3-pin UK plug
"-AU"	Australia	"-OE"	Other region with 2-pin UK plug
"-CN"	China/New Zealand		

Note: For a complete list of GasAlertMicro configurations, including all gas combinations with rechargeable battery options, please consult BW Technologies.

Gas Legend

%LEL	Combustible	CO	Carbon monoxide
O ₂	Oxygen	SO ₂	Sulfur dioxide
H ₂ S	Hydrogen sulfide		

Confined Space Kits

	Order Number	Price (CAD)
GasAlertMicro deluxe confined space kit <i>Detector, calibration gas and motorized sampling pak sold separately</i>	M4-CK-DL	\$525.00
Carrying case for GasAlertMicro with foam and lid insert	M4-CK-CC	\$175.00

Carrying Accessories

	Order Number	Price (CAD)
Nylon carrying case	GAMIC-NC-1	\$45.00
Leather carrying case with neck strap	GAMIC-LC-1	\$35.00
Carrying holster for belt	GA-HMIC	\$20.00
Carrying holster for GasAlertMicro and Sampler (motorized sampling pump)	GA-HMIC-SP	\$45.00
Alligator-style clip (stainless steel)	GAMIC-AG2	\$20.00
Neck strap with safety release	GA-NS-1	\$15.00
Short strap (6 in./15.2 cm)	GA-LY-1	\$7.00
Extension strap (4 ft./1.2 m)	GA-ES-1	\$37.00
Armband	GA-ARM-1	\$40.00
Chest harness	GA-CH-2	\$65.00
Carrying case for motorized sampling pump and/or the detector	SPAK-CC1	\$70.00

Datalogging Accessories and Options

	Order Number	Price (CAD)
MultiMedia card	GAMIC-MMC	\$35.00
USB memory card reader	CR-MMC-USB1	\$85.00

Deluxe Confined Space Kit
M4-CK-DL
Order detector, calibration gas and motorized sampling pump separately



Memory Card Reader
CR-MMC-USB1



Chest Harness
GA-CH-2



Nylon Carrying Case
GAMIC-NC-1



Leather Carrying Case
GAMIC-LC-1
With neck strap



Neck Strap
GA-NS-1



Carrying Holster
GA-HMIC
Fits securely on a belt

Power - Rechargeable Battery Pack Options and Spares	Order Number	Price (CAD)
Rechargeable high capacity battery pack	GAMIC-BAT2-03	\$75.00
Charger 3 - dual cradle charger	GAMIC-C07-03*	\$205.00
Charger 3 - dual cradle charger without charging cable	GAMIC-C07-03-1	\$185.00
Charger 3 kit - dual cradle charger and high capacity battery pack	GAMIC-C07-03-K*	\$280.00
Charger 3 - dual cradle charger with 12 Vdc vehicle charging adaptor	GAMIC-C07-03-VC	\$205.00
Charger 3 vehicle kit - dual cradle charger with 12 Vdc vehicle charging adaptor and high capacity battery pack	GAMIC-C07-03-K-VC	\$280.00
Charger II - for 1 unit	GAMIC-C05*	\$350.00
Charger II - for 5 units	GAMIC-C05-MC5*	\$1,150.00
Charger II kit - charger and high capacity battery pack	GAMIC-C05-K02*	\$400.00
Replacement power adaptor for charger 3	POWER-UPS-01	\$70.00
12 Vdc vehicle adaptor for charger 3	GA-V-CHRG4	\$20.00
12-24 Vdc direct-wire power adaptor for charger 3	GA-PA-2	\$35.00

*For regions outside North America add to the end of the order number: "-EU" for Europe, "-UK" for United Kingdom and "-AU" for Australia/China.



High Capacity Battery Pack
GAMIC-BAT2-03



Charger 3 Dual Cradle Charger
GAMIC-C07-03-1
Wall or desk mount charger with secondary battery charging compartment (order detector separately)



Replacement Vehicle Adaptor for Charger 3 12 Vdc
GA-V-CHRG4



12-24 Vdc Direct-Wire Power Adaptor for Charger 3
GA-PA-2
Use in emergency vehicles and other applications



Charger 3 Kit
GAMIC-C07-03-K
Kit with dual charger (GAMIC-C07-03-1) and high capacity battery (GAMIC-BAT02-03) (order detector separately)



Charger 3 Vehicle Kit 12 Vdc
GAMIC-C07-03-K-VC
Kit with dual charger (GAMIC-C07-03-1) and high capacity battery (GAMIC-BAT02-03) and vehicle adaptor (GA-V-CHRG4) (order detector separately)



Charger 3 with 12 Vdc Vehicle adaptor
GAMIC-C07-03-VC
Kit with dual charger (GAMIC-C07-03-1) and vehicle adaptor (GA-V-CHRG4) (order detector separately)



Charger II
GAMIC-C05
Wall mountable; connect chargers

Power - Rechargeable AA Battery Options and Spares

	Order Number	Price (CAD)
Rechargeable AA NiMH batteries (1800 mAh), kit of 4 (not applicable in Europe)	GAMIC-BAT-K	\$30.00
Rechargeable AA NiMH batteries (1600 mAh), kit of 4	GAMIC-BAT-K2	\$30.00
Replacement holder for GasAlertMicro alkaline batteries	GAMIC-BH1	\$50.00
Rechargeable AA NiMH kit - 4-port charger (110 VAC) and 4 rechargeable AA NiMH batteries (1800 mAh, not applicable in Europe)	GAMIC-C01-K*	\$60.00
Rechargeable AA NiMH kit - 4-port charger (230 VAC) and 4 rechargeable AA NiMH batteries (1600 mAh)	GAMIC-C01-K2*	\$60.00
Rechargeable AA NiMH vehicle kit - 4-port charger (12 VDC) and 4 NiMH rechargeable batteries	GAMIC-V-CHRG1	\$60.00
Replacement power adaptor 110 VAC for GasAlertMicro charger (GAMIC-C01-K)	GAMIC-PA-1	\$20.00
Replacement 12 Vdc power adaptor for GasAlertMicro vehicle charger kit (GAMIC-V-CHRG1)	GAMIC-V-A1	\$18.00

* For regions outside North America add to the end of the order number: "-EU" for Europe, "-UK" for United Kingdom and "-AU" for Australia/China.



Rechargeable AA NiMH Batteries

GAMIC-BAT-K / GAMIC-BAT-K2
Kit of 4 (1800 mAh / 1600 mAh)



Rechargeable AA NiMH Kit

GAMIC-C01-K
4-port charger and batteries



Holder for AA Batteries

GAMIC-BH1
Replacement holder for GasAlertMicro alkaline batteries



Rechargeable AA NiMH Kit with 12 Vdc Vehicle Adaptor

GAMIC-V-CHRG1
4-port charger and batteries



SamplerPak Kits

Kits come with motorized sampling pump, batteries, battery charger (if specified) and room for detector (order detector separately). See SamplerPak section for kit contents, accessories and spares.

Sampling/Testing Equipment and Spares

	Order Number	Price (CAD)
Test cap (dual barb) and hose (1.5 ft./0.5 m) replacement	GAMIC-TC-1	\$15.00
Test cap (single barb) and hose (1.5 ft./0.5 m) for use with manual aspirator pump (GAMIC-AS02)	GAMIC-TC-2	\$19.00
MicroDock II automatic test and calibration system:		
- Base station and GasAlertMicro docking module (charging) with charging cable	DOCK2-2-1B1C-00-N*	\$2,205.00
- Base station and GasAlertMicro docking module (non-charging)	DOCK2-2-1A-00-N*	\$1,995.00
- GasAlertMicro docking module (charging) without charging cable	DOCK2-0-1B-00-N	\$840.00
- GasAlertMicro docking module (non-charging)	DOCK2-0-1A-00-N	\$700.00
<i>For complete MicroDock II system configuration information, see MicroDock II section.</i>		
SamplerPak motorized sampling pump kit	GA-SPAK	\$395.00
<i>For a complete list of SamplerPak probes, hoses, accessories and spares, see SamplerPak section.</i>		
Manual aspirator pump kit with probe (1 ft./0.3m)	GAMIC-AS02	\$119.00

* Change order number suffix "-N" to: "-E" for European versions, "-U" for United Kingdom versions or "-A" for Australian versions.

Sensor Spares and Replacements

	Order Number	Price (CAD)
Triple sensor screen filters, kit of 2	GAMIC-SS	\$20.00
Replacement TwinTox sensor - carbon monoxide (CO) and hydrogen sulfide (H ₂ S)	D4-RHM04	\$398.00
Replacement hydrogen sulfide (H ₂ S) sensor	PS-RH04S	\$255.00
Replacement carbon monoxide (CO) sensor	PS-RM04	\$275.00
Replacement carbon monoxide (CO) sensor, H ₂ resistant	PS-RM04H	\$315.00
Replacement oxygen (O ₂) sensor	SR-X10	\$180.00
Replacement sulfur dioxide (SO ₂) sensor	PS-RS04	\$390.00
Replacement combustible sensor with heavy duty silicone filter†	SR-W04	\$225.00
Replacement combustible sensor without heavy duty silicone filter†	SR-W04-UF	\$255.00
<i>†Advisory: Detectors are equipped on a standard basis with SR-W04 combustible sensors. This sensor includes a heavy duty silicone filter that make it ideal for use in environments that have known sources of silicone or vapors containing silicon. The SR-W04 silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38°C (100°F).</i>		
Dummy sensor for 3-pin O ₂ or 3-pin TwinTox locations	SR-DUMM1	\$35.00
Dummy sensor for LEL location	SR-DUMM2	\$35.00



Test Cap and Hose

GAMIC-TC-1

Dual barb (standard)

GAMIC-TC-2

Single barb for use with manual aspirator pump



Manual Aspirator Pump Kit

GAMIC-AS02

For remote sampling; complete with probe, hose, aspirator pump and adaptor cap



MicroDock II

Automatic test and calibration station (see MicroDock II section for additional information)